L	Hits	Search Text	DB	Time stamp
Number	 		L	
14	534	<pre>@ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or (common adj data)) same stor\$3 adj</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 13:24
15		(request or URL or cookie)	DERWENT; IBM_TDB	0000 400 40
		<pre>@ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 13:25
16	0	URL or cookie) and (data adj handle) @ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie) and ((generat\$3 or creat\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:26
17	. 0	or associat\$3) adj handle) @ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same _(stor\$3 and process\$3) adj (request or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 13:29
18	2	URL or cookie) and ((generat\$3 or creat\$3 or associat\$3) near data near handle) @ad<20000106 and ((transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL	IBM_TDB USPAT; US-PGPUB;	2003/12/04 13:29
1.0		or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie)) and (data near handle)	EPO; JPO; DERWENT; IBM_TDB	
19	16	<pre>@ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie) and ((generat\$3 or creat\$3 or associat\$3) same data same handle)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:32
20	17	@ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie or token) and ((generat\$3 or creat\$3 or associat\$3) same data same (token or handle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:37
-	898	709/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:36
-	415	709/201.ccls. and handle	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/03 18:31
-	1	709/201.ccls. and ((create or associate) adj handle)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/03 18:32
_	1	709/201.ccls. and ((create) adj handle)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/03 18:33
-	10	709/201.ccls. and ((data adj handle))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/03 19:10
	<u> </u>		IBM TDB	

Updated Search

[•	38	709/200-203.ccls. and ((data adj handle))	USPAT; US-PGPUB;	2002/10/03 19:23
		į		EPO; JPO; DERWENT; IBM TDB	
-	-	5	709/200-203.ccls. and (create adj (handle))	USPAT; US-PGPUB;	2002/10/04 15:19
				EPO; JPO; DERWENT;	
-	-	29	709/.ccls. and ((create or generate) adj ((handle)) and store and data	IBM_TDB USPAT;	2002/10/04
			(nanute)) and store and data	US-PGPUB; EPO; JPO; DERWENT;	16:43
-	-	2	(709/.ccls. or 707/.ccls.) and ((create or generate) adj (handle)) and store and	IBM_TDB USPAT; US-PGPUB;	2002/10/04
			data and (handle adj table)	EPO; JPO; DERWENT;	
-		12	(707/.ccls.) and ((create or generate) adj (handle)) and store and data	IBM_TDB USPAT; US-PGPUB;	2002/10/04
				EPO; JPO; DERWENT;	
-	•	43	associate adj handle	IBM_TDB USPAT; US-PGPUB;	2002/10/04 17:59
				EPO; JPO; DERWENT;	
-		9	associate adj handle and data	IBM_TDB USPAT; US-PGPUB;	2002/10/04
	•		·	EPO; JPO; DERWENT;	
-		4	<pre>@ad<20000106 and (transfer\$4 or transmi\$5 or send\$3 or stor\$3) adj ((common adj</pre>	IBM_TDB USPAT; US-PGPUB;	2003/12/03 19:28
			data) or information or message) and ((creat\$3 or associat\$3) near (data adj handle))	EPO; JPO; DERWENT;	
-		4	<pre>@ad<20000106 and (transfer\$4 or transmi\$5 or send\$3 or stor\$3) adj ((common adj</pre>	IBM_TDB USPAT; US-PGPUB;	2003/12/03 18:55
			data) or information or message) and ((creat\$3 or associat\$3 or generat\$3) near (data adj handle))	EPO; JPO; DERWENT;	
-		4	<pre>@ad<20000106 and (transfer\$4 or transmi\$5 or send\$3 or stor\$3) near ((common adj</pre>	IBM_TDB USPAT; US-PGPUB;	2003/12/03 18:55
			data) or information or message) and ((creat\$3 or associat\$3 or generat\$3) near (data adj handle))	EPO; JPO; DERWENT;	
-		6	@ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (data adj handle))	IBM_TDB USPAT; US-PGPUB;	2003/12/03 19:14
				EPO; JPO; DERWENT; IBM TDB	
-		0	<pre>@ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (handle)) same</pre>	USPĀT; US-PGPUB;	2003/12/03 19:15
			((stor\$3 and (transfer\$4 or send\$3 or transmi\$5)) near data)	EPO; JPO; DERWENT; IBM TDB	
-		31	<pre>@ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (handle)) same (stor\$3 near data)</pre>	USPĀT; US-PGPUB;	2003/12/03 19:27
	,		,	EPO; JPO; DERWENT; IBM TDB	
-		75	<pre>@ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) adj (handle)) same (stor\$3 or associat\$3) same data</pre>	USPĀT; US-PGPUB;	2003/12/03 19:28
			or associates) same data	EPO; JPO; DERWENT; IBM TDB	

Search History 12/4/03 7:14:17 PM Page 2

-	19		USPAT;	2003/12/03
J i	i	or generat\$3) adj (handle)) same ((stor\$3	US-PGPUB;	19:40
i l		or associat\$3) near data)	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	62		USPAT;	2003/12/03
		or generat\$3) near (handle)) same	US-PGPUB;	19:40
		((stor\$3 or associat\$3) near data)	EPO; JPO;	i i
		. '	DERWENT;	
		*	IBM_TDB	
-	39	@ad<20000106 and ({creat\$3 or associat\$3	USPAT;	2003/12/03
		or generat\$3) near (handle)) same	US-PGPUB;	20:04
		((stor\$3 or associat\$3) adj data)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	· ·
-	11		USPAT;	2003/12/04
		transmi\$5) adj (data or (common adj	US-PGPUB;	13:23
		data)) same stor\$3 same (service adj	EPO; JPO;	1
1		application)	DERWENT;	
			IBM TDB	1